



BT DIN ISO 7388-2 (MAS 403)



2022 Catalog

World-class products

Precise quality

Satisfied customer






BT DIN ISO 7388-2 (MAS 403)

Table of contents

Description	Page	Description	Page
SHK DETAIL - Shank Detail			
Machine Design	4	BT 40 - Standard GPL	15
Form J (A) , JD (AD) , JD/JF (AD/B)	4	BT 40 - Extended Length	15
		BT 50 - Standard GPL	16
		BT 50 - Extended Length	16
ERS/ERM - ER Collet Chuck (DIN6499 Form C)		Spares	16
BT - Form JD (AD) - G6.3	5	Cutter Clamping Screw (DIN 6367).....	16
BT 30 - Standard GPL	5	Accessories	17
BT 30 - GPL = 100 mm	5		
BT 40 - Standard GPL	5	CMH - Combi Shell Mill Holder (DIN 6358)	
BT 40 - GPL = 100 mm	6	BT - Form JD (AD) - G6.3	18
BT 40 - GPL = 160 mm	6	BT 40 - Standard GPL	18
BT 40 - GPL = 200 mm	6	BT 50 - Standard GPL	18
BT 50 - Standard GPL	7	Spares	18
BT 50 - GPL = 100 mm	7	Drive Ring (DIN 6366)	18
BT 50 - GPL = 160 mm	7	Parallel Key (DIN 6885)	19
BT 50 - GPL = 200 mm	8	Cutter Clamping Screw (DIN 6367).....	19
BT40 - ER MINI - Standard GPL	8	Accessories	19
BT - Form JD/JF (AD+B) - G6.3	8		
BT 40 - Standard GPL	8	FMH - Flange Face Mill Arbor (DIN 6357)	
BT 40 - GPL = 100 mm	9	BT - Form JD (AD)	20
Spares	9	BT 40 - Standard GPL	20
Stopper Screw.....	9	BT 50 - Standard GPL	20
Accessories	9	Accessories	20
SCCH - Short Collet Chuck		SFC - Shrink Fit Chuck (DIN 69882-8)	
BT40 Form JD (AD)	10	BT - Form JD (AD) - G6.3	21
BT50 Form JD (AD)	10	BT 40 - Standard GPL	21
Spares	10	BT 50 - Standard GPL	21
Accessories	10	Spares	22
		Accessories	22
EMH - End Mill Holder (DIN 1835 - 2 Form B)		MTA - Morse Taper Adaptor (DIN 228-2 Form D)	
BT - Form JD (AD) - G6.3	11	BT - Form JD (AD) - G6.3	23
BT 30 - Standard GPL	11	BT 30 - Standard GPL	23
BT 40 - Short GPL	11	BT 40 - Standard GPL	23
BT 40 - Standard GPL	11	BT 50 - Standard GPL	23
BT 40 - GPL = 160 mm	12	BT - Form J (A)	24
BT 50 - Standard GPL	12	BT 40 - Extended Length	24
BT 50 - GPL = 160 mm	12	BT 50 - Extended Length	24
BT - Form JD/JF (AD+B) - G6.3	13	Accessories	24
BT 40 - Standard GPL	13		
Spares	13	DCH - Drill Chuck Adaptor (DIN 238)	
Grub Screw	13	BT - Form J (A)	25
Accessories	13	BT 40 - Standard GPL	25
		BT 50 - Standard GPL	25
		Accessories	25
SLA - Side Lock Holder (ISO 9766)		BLA - Boring Blank Adaptor	
BT 40 - Form JD (AD)	14	BT - Form J (A)	26
BT 50 - Form JD (AD)	14	BT 40 - Standard GPL	26
Spares	14	BT 50 - Standard GPL	26
Grub Screw	14	Accessories	26
SMS - Face Mill Arbor			
BT - Form JD (AD) - G6.3	15		
BT 30 - Standard GPL	15		

BT DIN ISO 7388-2 (MAS 403)

Machine Design



Form J (A) , JD (AD) , JD/JF (AD/B)

Machine Design	TAPER ISO	D	D1	D2	L1	L2	L3	d.	B	G	e1
BT30	30	31.75	46.0	56.14	48.4	13.6	22	8	16.1	M12	20
BT35	35	38.1	53.0	61.97	56.4	14.6	24	9	16.1	M12	-
BT40	40	44.45	63.0	75.68	65.4	16.6	27	10	16.1	M16	27
BT50	50	69.85	100.0	119.02	101.8	23.2	38	15	25.7	M24	42

SHK DETAIL Shank Detail


Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)

BT - Form JD (AD) - G6.3

BT 30 - Standard GPL




Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	Nut	Kgs	Group
F1B301A-ERS16070	BT 30 AD ER 16 070	30	JD	ER 16	70	1-10	SCW7/16	28	F15500-16ERH	0.7	A1000
F1B301A-ERS20070	BT 30 AD ER 20 070	30	JD	ER 20	70	1-13	M14X1.5	35	F15500-20ERS	0.7	A1000
F1B301A-ERS25070	BT 30 AD ER 25 070	30	JD	ER 25	70	1-16	M14X1.5	42	F15500-25ERS	0.8	A1000
F1B301A-ERS32070	BT 30 AD ER 32 070	30	JD	ER 32	70	2-20	M14X1.5	50	F15500-32ERS	0.8	A1000

BT 30 - GPL = 100 mm



Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	Nut	Kgs	Group
F1B301A-ERS16100	BT30 AD ER 16 100	30	JD	ER16	100	1-10	SCW7/16	28	F15500-16ERH	0.62	A1000
F1B301A-ERS20100	BT30 AD ER 20 100	30	JD	ER20	100	1-13	M14X1.5	35	F15500-20ERS	0.71	A1000
F1B301A-ERS25100	BT30 AD ER 25 100	30	JD	ER25	100	1-16	M18X1.5	42	F15500-25ERS	0.85	A1000
F1B301A-ERS32100	BT30 AD ER 32 100	30	JD	ER32	100	2-20	M22X1.5	50	F15500-32ERS	0.98	A1000

BT 40 - Standard GPL



Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	Nut	Kgs	Group
F1B401A-ERS11070	BT 40 AD ER 11 070	40	JD	ER11	70	1-7	M6	19	F15500-11ERH	1.2	B1000
F1B401A-ERS16070	BT 40 AD ER 16 070	40	JD	ER16	70	1-10	SCW7/16	28	F15500-16ERH	1.2	A1000
F1B401A-ERS20070	BT 40 AD ER 20 070	40	JD	ER20	70	1-13	M14X1.5	35	F15500-20ERS	1.2	A1000
F1B401A-ERS25070	BT 40 AD ER 25 070	40	JD	ER25	70	1-16	M18X1.5	42	F15500-25ERS	1.3	A1000
F1B401A-ERS32070	BT 40 AD ER 32 070	40	JD	ER32	70	2-20	M22X1.5	50	F15500-32ERS	1.3	A1000
F1B401A-ERS40070	BT 40 AD ER 40 070	40	JD	ER40	70	3-26	M28X1.5	63	F15500-40ERS	1.4	A1000


Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)


ERS/ERM ER Collet Chuck (DIN6499 Form C)

BT 40 - GPL = 100 mm




Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	Nut	Kgs	Group
F1B401A-ERS16100	BT 40 AD ER 16 100	40	JD	ER16	100	1-10	SCW7/16	28	F15500-16ERH	1.4	A1000
F1B401A-ERS20100	BT 40 AD ER 20 100	40	JD	ER20	100	1-13	M14X1.5	35	F15500-20ERS	1.4	A1000
F1B401A-ERS25100	BT 40 AD ER 25 100	40	JD	ER25	100	1-16	M18X1.5	42	F15500-25ERS	1.4	A1000
F1B401A-ERS32100	BT 40 AD ER 32 100	40	JD	ER32	100	2-20	M22X1.5	50	F15500-32ERS	1.6	A1000
F1B401A-ERS40100	BT 40 AD ER 40 100	40	JD	ER40	100	3-26	M28X1.5	63	F15500-40ERS	1.9	A1000
F1B401A-ERS50100	BT 40 AD ER 50 100	40	JD	ER50	100	10-34	M22X1.5	78	F15500-50ERS	2.3	A1000

BT 40 - GPL = 160 mm



Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	D1	L1	Nut	Kgs	Group
F1B401A-ERS16160	BT 40 AD ER 16 160	40	JD	ER 16	160	1-10	SCW7/16	28	28	31.6	F15500-16ERH	1.5	A1000
F1B401A-ERS20160	BT 40 AD ER 20 160	40	JD	ER 20	160	1-13	M14X1.5	35	34	32.5	F15500-20ERS	1.5	A1000
F1B401A-ERS25160	BT 40 AD ER 25 160	40	JD	ER 25	160	1-16	M18X1.5	42	40	37	F15500-25ERS	1.8	A1000
F1B401A-ERS32160	BT 40 AD ER 32 160	40	JD	ER 32	160	2-20	M22X1.5	50	48	33	F15500-32ERS	2	A1000
F1B401A-ERS40160	BT 40 AD ER 40 160	40	JD	ER 40	160	3-26	M28X1.5	63		-	F15500-40ERS	2	A1000

BT 40 - GPL = 200 mm





Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	D1	L1	Nut	Kgs	Group
F1B401A-ERS16200	BT 40 AD ER 16 200	40	JD	ER16	200	1-10	SCW7/16	28	28	31.6	F15500-16ERH	1.7	B1000
F1B401A-ERS25200	BT 40 AD ER 25 200	40	JD	ER25	200	1-16	M18X1.5	42	40	37	F15500-25ERS	2.0	B1000
F1B401A-ERS32200	BT 40 AD ER 32 200	40	JD	ER32	200	2-20	M22X1.5	50	46	33	F15500-32ERS	2.2	B1000
F1B401A-ERS40200	BT 40 AD ER 40 200	40	JD	ER40	200	3-26	M28X1.5	63	-	-	F15500-40ERS	2.2	B1000

Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request




BT DIN ISO 7388-2 (MAS 403)

BT 50 - Standard GPL




Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	Nut	Kgs	Group
F1B501A-ERS16080	BT 50 AD ER 16 080	50	JD	ER16	80	1-10	SCW7/16	28	F15500-16ERH	3.8	A1000
F1B501A-ERS20080	BT 50 AD ER 20 080	50	JD	ER20	80	1-13	M14X1.5	35	F15500-20ERS	3.8	A1000
F1B501A-ERS25080	BT 50 AD ER 25 080	50	JD	ER25	80	1-16	M18X1.5	42	F15500-25ERS	3.8	A1000
F1B501A-ERS32080	BT 50 AD ER 32 080	50	JD	ER32	80	2-20	M22X1.5	50	F15500-32ERS	3.9	A1000
F1B501A-ERS40080	BT 50 AD ER 40 080	50	JD	ER40	80	3-26	M28X1.5	63	F15500-40ERS	4	A1000

BT 50 - GPL = 100 mm



Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	Nut	Kgs	Group
F1B501A-ERS16100	BT 50 AD ER 16 100	50	JD	ER16	100	1-10	SCW7/16	28	F15500-16ERH	4	A1000
F1B501A-ERS25100	BT 50 AD ER 25 100	50	JD	ER25	100	1-16	M18X1.5	42	F15500-25ERS	4.1	A1000
F1B501A-ERS32100	BT 50 AD ER 32 100	50	JD	ER32	100	2-20	M22x1.5	50	F15500-32ERS	4.3	A1000
F1B501A-ERS40100	BT 50 AD ER 40 100	50	JD	ER40	100	3-26	M28X1.5	63	F15500-40ERS	4.5	A1000

BT 50 - GPL = 160 mm




Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	D1	L1	Nut	Kgs	Group
F1B501A-ERS16160	BT 50 AD ER 16 160	50	JD	ER16	160	1-10	SCW7/16	28	28	31.6	F15500-16ERH	4	A1000
F1B501A-ERS25160	BT 50 AD ER 25 160	50	JD	ER25	160	1-16	M18X1.5	42	40	37	F15500-25ERS	4.5	A1000
F1B501A-ERS32160	BT 50 AD ER 32 160	50	JD	ER32	160	2-20	M22X1.5	50	50	33	F15500-32ERS	5	A1000
F1B501A-ERS40160	BT 50 AD ER 40 160	50	JD	ER40	160	3-26	M28X1.5	63	63	40	F15500-40ERS	5	A1000

Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request




BT DIN ISO 7388-2 (MAS 403)

BT 50 - GPL = 200 mm



Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	D1	L1	Nut	Kgs	Group
F1B501A-ERS16200	BT 50 AD ER 16 200	50	JD	ER16	200	1-10	SCW7/16	28	28	31.6	F15500-16ERH	4.2	B1000
F1B501A-ERS25200	BT50 AD ER 25 200	50	JD	ER25	200	1-16	M18X1.5	42	40	37	F15500-25ERS	4.7	B1000
F1B501A-ERS32200	BT 50 AD ER 32 200	50	JD	ER32	200	2-20	M22X1.5	50	50	33	F15500-32ERS	5.2	B1000
F1B501A-ERS40200	BT 50 AD ER 40 200	50	JD	ER40	200	3-26	M28X1.5	63	62	40	F15500-40ERS	5.2	B1000


BT40 - ER MINI - Standard GPL



Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	Nut	Kgs	Group
F1B401A-ERM11070	BT40 AD ER MINI 11 070	40	JD	ER11	70	1-7	M6	16	F15500-11ERM	1.10	B1000
F1B401A-ERM16070	BT40 AD ER MINI 16 070	40	JD	ER16	70	1-10	SCW7/16	22	F15500-16ERM	1.02	B1000
F1B401A-ERM20070	BT40 AD ER MINI 20 070	40	JD	ER20	70	1-13	M14X1.5	28	F15500-20ERM	1.02	B1000
F1B401A-ERM25070	BT40 AD ER MINI 25 070	40	JD	ER25	70	1-16	M18X1.5	35	F15500-25ERM	1.04	B1000

BT - Form JD/JF (AD+B) - G6.3

BT 40 - Standard GPL





Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	Nut	Kgs	Group
F1B409A-ERS16070	BT 40 ADB ER 16 070	40	JD/JF	ER16	70	1-10	SCW7/16	28	F15500-16ERH	1.2	B1000
F1B409A-ERS20070	BT 40 AD/B ER 20 070	40	JD/JF	ER20	70	1-13	M14X1.5	35	F15500-20ERS	1.2	B1000
F1B409A-ERS25070	BT 40 ADB ER 25 070	40	JD/JF	ER25	70	1-16	M18X1.5	42	F15500-25ERS	1.3	B1000
F1B409A-ERS32070	BT 40 ADB ER 32 070	40	JD9JF	ER32	70	2-20	M22X1.5	50	F15500-32ERS	1.3	B1000
F1B409A-ERS40070	BT 40 ADB ER 40 070	40	JD/JF	ER40	70	3-26	M28X1.5	63	F15500-40ERS	1.4	B1000

Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)


BT 40 - GPL = 100 mm



Part No.	Product name	Taper	Form	Size	L	Clamping range	G	D	Nut	Kgs	Group
F1B409A-ERS16100	BT40 ADB ER 16 100	40	JD/JF	ER16	100	1-10	SCW7/16	28	F15500-16ERH	4	B1000
F1B409A-ERS20100	BT40ADB ER 20 100	40	JD/JF	ER20	100	1-13	M14X1.5	35	F15500-20ERS	1.4	B1000
F1B409A-ERS25100	BT40 ADB ER 25100	40	JD/JF	ER25	100	1-16	M18X1.5	42	F15500-25ERS	1.4	B1000
F1B409A-ERS32100	BT40 ADB ER 32 100	40	JD/JF	ER32	100	2-20	M22X1.5	50	F15500-32ERS	1.6	B1000
F1B409A-ERS40100	BT40 ADB ER 40 100	40	JD/JF	ER40	100	3-26	M28X1.5	63	F15500-40ERS	1.9	B1000

Spares

Stopper Screw



Part No.	G	L	Group
F1SCWA-20U11	7/16	20	D4400
F1SCWM-20M06	M6	20	D4400
F1SCWM-20M14	M14	20	D4400
F1SCWM-20M18	M18	20	D4400
F1SCWM-20M22	M22	20	D4400
F1SCWM-20M28	M28	20	D4400

Accessories



For Further Details Please Refer Accessories Catalog.



Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)



SCCH Short Collet Chuck

BT40 Form JD (AD)




Part No.	Product name	Taper	Form	Size	L	Clamping range	Nut	D	Kgs	Group
F1B401A-ERS32033	BT40 AD ER 32 033	40	JD	ER32	33	2-20	F15500-32SER	M40X1.5	1.0	B1000

BT50 Form JD (AD)



Part No.	Product name	Taper	Form	Size	L	Clamping range	Nut	D	Kgs	Group
F1B501A-ERS32040	BT50 AD ER 32 040	50	JD	ER32	40	2-20	F15500-32SER	M40X1.5	3.2	B1000
F1B501A-ERS40045	BT50 AD ER 40 045	50	JD	ER40	45	3-26	F15500-40SER	M50X1.5	3.2	B1000

Spares



Part No.	Product name	G	L	Group
F15500-32SER	SHORT NUT SER32	M40X1.5	14	D4400
F15500-40SER	SHORT NUT SER40	M50X1.5	20	D4400

Accessories



For Further Details Please Refer Accessories Catalog.


Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)



BT - Form JD (AD) - G6.3

BT 30 – Standard GPL





Part No.	Product name	Taper	Form	d.	L	D1	G	L1	L2	FIG	Kgs	Group
F1B301A-EMH08050	BT 30 AD EM 08 050	30	JD	8	50	28	M8	18	-	1	0.7	A2200
F1B301A-EMH10050	BT 30 AD EM 10 050	30	JD	10	50	35	M10	20	-	1	0.7	A2200
F1B301A-EMH12055	BT 30 AD EM 12 055	30	JD	12	55	42	M12	22.5	-	1	0.7	A2200
F1B301A-EMH16063	BT 30 AD EM 16 063	30	JD	16	63	48	M14	24	-	1	0.8	A2200
F1B301A-EMH20063	BT 30 AD EM 20 063	30	JD	20	63	52	M16	25	-	1	1.3	A2200

BT 40 – Short GPL



Part No.	Product name	Taper	Form	d.	L	D1	G	L1	L2	FIG	Kgs	Group
F1B401A-EMH16030	BT 40 AD EM 16 030	40	JD	16	30	40	M10	21	-	1	0.9	B2200
F1B401A-EMH20045	BT 40 AD EM 20 045	40	JD	20	45	50	M10	15	20	1	1	B2200
F1B401A-EMH25045	BT 40 AD EM 25 045	40	JD	25	45	50	M10	15	18	2	1	B2200

BT 40 – Standard GPL





Part No.	Product name	Taper	Form	d.	L	D1	G	L1	L2	FIG	Kgs	Group
F1B401A-EMH06050	BT 40 AD EM 06 050	40	JD	6	50	25	M6	18	-	1	1.2	A2200
F1B401A-EMH08050	BT 40 AD EM 08 050	40	JD	8	50	28	M8	18	-	1	1.2	A2200
F1B401A-EMH10063	BT 40 AD EM 10 063	40	JD	10	63	35	M10	20	-	1	1.2	A2200
F1B401A-EMH12063	BT 40 AD EM 12 063	40	JD	12	63	42	M12	22.5	-	1	1.3	A2200
F1B401A-EMH14063	BT 40 AD EM 14 063	40	JD	14	63	44	M12	22.5	-	1	1.3	A2200
F1B401A-EMH16063	BT 40 AD EM 16 063	40	JD	16	63	48	M14	24	-	1	1.3	A2200
F1B401A-EMH18063	BT 40 AD EM 18 063	40	JD	18	63	50	M14	24	-	1	1.4	A2200
F1B401A-EMH20063	BT 40 AD EM 20 063	40	JD	20	63	52	M16	25	-	1	2.2	A2200
F1B401A-EMH25090	BT 40 AD EM 25 090	40	JD	25	90	65	M18X2	24	25	2	2.3	A2200
F1B401A-EMH32100	BT 40 AD EM 32 100	40	JD	32	100	72	M20X2	24	28	2	2.5	A2200
F1B401A-EMH40105	BT 40 AD EM 40 105	40	JD	40	105	80	M20X2	30	32	2	4.5	A2200

Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request






BT DIN ISO 7388-2 (MAS 403)

BT 40 - GPL = 160 mm





Part No.	Product name	Taper	Form	d.	L	D1	D2	G	L1	L2	L3	FIG	Kgs	Group
F1B401A-EMH06160	BT 40 AD EM 06 160	40	JD	6	160	25	35	M6	18	-	30	1	1.4	A2200
F1B401A-EMH08160	BT 40 AD EM 08 160	40	JD	8	160	28	38	M8	18	-	32	1	1.4	A2200
F1B401A-EMH10160	BT 40 AD EM 10 160	40	JD	10	160	35	40	M10	20	-	35	1	1.4	A2200
F1B401A-EMH12160	BT 40 AD EM 12 160	40	JD	12	160	42	-	M12	22.5	-	-	1	1.7	A2200
F1B401A-EMH14160	BT 40 AD EM 14 160	40	JD	14	160	44	-	M12	22.5	-	-	1	1.7	A2200
F1B401A-EMH16160	BT 40 AD EM 16 160	40	JD	16	160	48	-	M14	24	-	-	1	1.9	A2200
F1B401A-EMH18160	BT 40 AD EM 18 160	40	JD	18	160	50	-	M14	24	-	-	1	1.9	A2200
F1B401A-EMH20160	BT 40 AD EM 20 160	40	JD	20	160	52	-	M16	25	-	-	1	2.4	A2200
F1B401A-EMH25160	BT 40 AD EM 25 160	40	JD	25	160	65	-	M18X2	24	25	-	2	2.3	A2200

BT 50 – Standard GPL



Part No.	Product name	Taper	Form	d.	L	D1	G	L1	L2	FIG	Kgs	Group
F1B501A-EMH06065	BT 50 AD EM 06 065	50	JD	6	65	25	M6	18	-	1	3.7	A2200
F1B501A-EMH08065	BT 50 AD EM 08 065	50	JD	8	65	28	M8	18	-	1	3.7	A2200
F1B501A-EMH10065	BT 50 AD EM 10 065	50	JD	10	65	35	M10	20	-	1	3.7	A2200
F1B501A-EMH12080	BT 50 AD EM 12 080	50	JD	12	80	42	M12	22.5	-	1	4	A2200
F1B501A-EMH14080	BT 50 AD EM 14 080	50	JD	14	80	44	M12	22.5	-	1	4	A2200
F1B501A-EMH16080	BT 50 AD EM 16 080	50	JD	16	80	48	M14	24	-	1	4	A2200
F1B501A-EMH18080	BT 50 AD EM 18 080	50	JD	18	80	50	M14	24	-	1	4	A2200
F1B501A-EMH20080	BT 50 AD EM 20 080	50	JD	20	80	52	M16	25	-	1	4	A2200
F1B501A-EMH25100	BT 50 AD EM 25 100	50	JD	25	100	65	M18X2	24	25	2	4.3	A2200
F1B501A-EMH32105	BT 50 AD EM 32 105	50	JD	32	105	72	M20X2	24	28	2	4.5	A2200
F1B501A-EMH40115	BT 50 AD EM 40 115	50	JD	40	115	90	M20X2	30	32	2	5.8	A2200

BT 50 - GPL = 160 mm



Part No.	Product name	Taper	Form	d.	L	D1	D2	G	L1	L2	L3	FIG	Kgs	Group
F1B501A-EMH08160	BT 50 AD EM 08 160	50	JD	8	160	28	45	M8	18	-	32	1	4	A2200
F1B501A-EMH10160	BT 50 AD EM 10 160	50	JD	10	160	35	49	M10	20	-	35	1	4.1	A2200
F1B501A-EMH12160	BT 50 AD EM 12 160	50	JD	12	160	42	55	M12	22.5	-	35	1	4.6	A2200
F1B501A-EMH16160	BT 50 AD EM 16 160	50	JD	16	160	48	60	M14	24	-	40	1	4.6	A2200
F1B501A-EMH20160	BT 50 AD EM 20 160	50	JD	20	160	52	69	M16	25	-	45	1	5.3	A2200
F1B501A-EMH25160	BT 50 AD EM 25 160	50	JD	25	160	65	72	M18X2	24	25	62	2	5.2	A2200
F1B501A-EMH32160	BT 50 AD EM 32 160	50	JD	32	160	72	-	M20X2	24	28	-	2	5.9	A2200



Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)

BT – Form JD/JF (AD+B) – G6.3


BT 40 – Standard GPL



Part No.	Product name	Taper	Form	d.	L	D1	G	L1	L2	FIG	Kgs	Group
F1B409A-EMH16063	BT 40 ADB EM 16 063	40	JD/JF	16	63	48	M14	24	-	1	1.3	B2200
F1B409A-EMH20063	BT 40 ADB EM 20 063	40	JD/JF	20	63	52	M16	25	-	1	1.7	B2200
F1B409A-EMH25090	BT 40 ADB EM 25 090	40	JD/JF	25	90	65	M18X2	24	25	2	2.3	B2200
F1B409A-EMH32100	BT 40 ADB EM 32 100	40	JD/JF	32	100	72	M20X2	24	28	2	2.5	B2200
F1B409A-EMH40105	BT 40 ADB EM 40 105	40	JD/JF	40	105	80	M20X2	30	32	2	4.5	B2200

Spares

Grub Screw



Part No.	G	L	S	Group
F1GSWD-10M06	M6	10	3	D4400
F1GSWD-10M08	M8	10	4	D4400
F1GSWD-12M10	M10	12	5	D4400
F1GSWD-16M12	M12	16	6	D4400
F1GSWD-16M14	M14	16	6	D4400
F1GSWD-16M16	M16	16	8	D4400
F1GSWD-20M18	M18	20	10	D4400
F1GSWD-20M20	M20	20	10	D4400
F1GSWD-25M24	M24	25	12	D4400

Accessories




For Further Details Please Refer Accessories Catalog.

Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request





BT DIN ISO 7388-2 (MAS 403)

BT 40 - Form JD (AD)



Part No.	Product name	Taper	Form	d.	L	L1	L2	D1	G	T	Kgs	Group
F1B401A-SLA20090	BT40 AD SLA 20 090	40	JD	20	90	25	20	50	M10	M12	1.8	A2200
F1B401A-SLA25090	BT40 AD SLA 25 090	40	JD	25	90	25	20	50	M10	M12	1.7	A2200
F1B401A-SLA32090	BT40 AD SLA 32 090	40	JD	32	90	30	20	60	M10	M12	1.9	A2200
F1B401A-SLA40090	BT40 AD SLA 40 090	40	JD	40	90	30	20	63	M12	M12	1.8	A2200


BT 50 - Form JD (AD)



Part No.	Product name	Taper	Form	d.	L	L1	L2	D1	G	T	Kgs	Group
F1B501A-SLA20100	BT50 AD SLA 20 100	50	JD	20	100	25	20	50	M10	M12	3.9	A2200
F1B501A-SLA25100	BT50 AD SLA 25 100	50	JD	25	100	25	20	50	M10	M12	4.3	A2200
F1B501A-SLA32100	BT50 AD SLA 32 100	50	JD	32	100	30	20	60	M10	M12	4.5	A2200
F1B501A-SLA40100	BT50 AD SLA 40 100	50	JD	40	100	30	20	70	M12	M12	5.9	A2200

Spares

Grub Screw



Part No.	G	L	S	Group
F1GSWD-10M08	M8	10	4	D4400
F1GSWD-10M06	M6	10	3	D4400
F1GSWD-12M10	M10	12	5	D4400
F1GSWD-16M12	M12	16	6	D4400
F1GSWD-16M14	M14	16	6	D4400
F1GSWD-16M16	M16	16	8	D4400
F1GSWD-20M18	M18	20	10	D4400
F1GSWD-20M20	M20	20	10	D4400
F1GSWD-25M24	M24	25	12	D4400


Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)


BT - Form JD (AD) - G6.3

BT 30 - Standard GPL




Part No.	Product name	Taper	Form	d.	L	L1	D1	Cutter Dia	Kgs	Group
F1B301A-SMS16050	BT30 AD SMS 16 050	30	JD	16	50	17	38	40	0.6	A3000
F1B301A-SMS22050	BT30 AD SMS 22 050	30	JD	22	50	19	48	50 & 63	0.8	A3000
F1B301A-SMS27050	BT30 AD SMS 27 050	30	JD	27	50	21	60	80	1	A3000

BT 40 - Standard GPL



Part No.	Product name	Taper	Form	d.	L	L1	D1	Cutter Dia	Kgs	Group
F1B401A-SMS16060	BT40 AD SMS 16 060	40	JD	16	60	17	38	40	1.2	A3000
F1B401A-SMS22060	BT40 AD SMS 22 060	40	JD	22	60	19	48	50 & 63	1.5	A3000
F1B401A-SMS27045	BT40 AD SMS 27 045	40	JD	27	45	21	60	80	1.4	A3000
F1B401A-SMS32060	BT40 AD SMS 32 060	40	JD	32	60	24	70	100	2	A3000
F1B401A-SMS40060	BT40 AD SMS 40 060	40	JD	40	60	27	80	125	2.5	A3000

BT 40 - Extended Length




Part No.	Product name	Taper	Form	d.	L	L1	D1	Cutter Dia	Kgs	Group
F1B401A-SMS16120	BT40 AD SMS 16 120	40	JD	16	120	17	38	40	1.7	A3000
F1B401A-SMS22120	BT40 AD SMS 22 120	40	JD	22	120	19	48	50 & 63	2.3	A3000
F1B401A-SMS27120	BT40 AD SMS 27 120	40	JD	27	120	21	60	80	3	A3000

Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request




BT DIN ISO 7388-2 (MAS 403)

BT 50 - Standard GPL



Part No.	Product name	Taper	Form	d.	L	L1	D1	Cutter Dia	Kgs	Group
F1B501A-SMS22060	BT50 AD SMS 22 060	50	JD	22	60	19	48	50 & 63	4.2	A3000
F1B501A-SMS27060	BT50 AD SMS 27 060	50	JD	27	60	21	60	80	4.2	A3000
F1B501A-SMS32060	BT50 AD SMS 32 060	50	JD	32	60	24	70	100	4.4	A3000
F1B501A-SMS40060	BT50 AD SMS 40 060	50	JD	40	60	27	80	125	4.8	A3000


BT 50 - Extended Length



Part No.	Product name	Taper	Form	d.	L	L1	D1	Cutter Dia	Kgs	Group
F1B501A-SMS22120	BT50 AD SMS 22 120	50	JD	22	120	19	48	50 & 63	4.9	A3000
F1B501A-SMS27105	BT50 AD SMS 27 105	50	JD	27	105	21	60	80	5.2	A3000
F1B501A-SMS32100	BT50 AD SMS 32 100	50	JD	32	100	24	70	100	6.0	A3000
F1B501A-SMS40105	BT50 AD SMS 40 105	50	JD	40	105	27	80	125	6.6	A3000

Spares

Cutter Clamping Screw (DIN 6367)



Part No.	D	L	L1	G	d.	Allen Key	FIG	Remarks	Group
F1CCSN-22M10	28	26	8	M10	-	6mm	1	NORMAL	D4400
F1CCSN-16M08	20	23	7	M8	-	5mm	1	NORMAL	D4400
F1CCSN-27M12	35	31	9	M12	-	8mm	1	NORMAL	D4400
F1CCSN-32M16	42	36	10	M16	-	10mm	1	NORMAL	D4400
F1CCSN-40M20	52	41	11	M20	-	12mm	1	NORMAL	D4400
F1CCSN-60M30	75	60	15	M30	-	17mm	1	NORMAL	D4400
F1CCSN-50M24	75	49	13	M24	-	14mm	1	NORMAL	D4400
F1CCST-22M10	28	33	8	M10	3.2	6mm	2	THRU COOLANT	D4400
F1CCST-16M08	20	32	7	M8	2.5	5mm	2	THRU COOLANT	D4400
F1CCST-27M12	35	44	9	M12	3.2	8mm	2	THRU COOLANT	D4400
F1CCST-32M16	42	45	10	M16	3.2	10mm	2	THRU COOLANT	D4400
F1CCST-40M20	52	51	11	M20	3.2	12mm	2	THRU COOLANT	D4400

Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)

Accessories



For Further Details Please Refer Accessories Catalog.

SMS Face Mill Arbor


Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)



CMH Combi Shell Mill Holder (DIN 6358)

BT - Form JD (AD) - G6.3 BT 40 - Standard GPL




Part No.	Product name	Taper	Form	d.	L	L1	D1	Kgs	Group
F1B401A-CMH16055	BT40 AD CMH 16 055	40	JD	16	55	17	32	1.1	B3000
F1B401A-CMH22055	BT40 AD CMH 22 055	40	JD	22	55	19	40	1.4	B3000
F1B401A-CMH27055	BT40 AD CMH 27 055	40	JD	27	55	21	48	1.6	B3000
F1B401A-CMH32060	BT40 AD CMH 32 060	40	JD	32	60	24	58	2.2	B3000
F1B401A-CMH40060	BT40 AD CMH 40 060	40	JD	40	60	27	70	2.7	B3000

BT 50 - Standard GPL



Part No.	Product name	Taper	Form	d.	L	L1	D1	Kgs	Group
F1B501A-CMH22070	BT50 AD CMH 22 070	50	JD	22	70	19	40	3.4	B3000
F1B501A-CMH27070	BT50 AD CMH 27 070	50	JD	27	70	21	48	3.6	B3000
F1B501A-CMH32070	BT50 AD CMH 32 070	50	JD	32	70	24	58	4	B3000
F1B501A-CMH40070	BT50 AD CMH 40 070	50	JD	40	70	27	70	5	B3000

Spares Drive Ring (DIN 6366)




Part No.	d.	D	L	L1	L2	Group
F1DRRG-CMH16	16	32	10	5	8	D4400
F1DRRG-CMH22	22	40	12	5.6	10	D4400
F1DRRG-CMH27	27	48	12	6.3	12	D4400
F1DRRG-CMH32	32	58	14	7	14	D4400
F1DRRG-CMH40	40	70	14	8	16	D4400

Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request





BT DIN ISO 7388-2 (MAS 403)

Parallel Key (DIN 6885)



Part No.	Product name	d.	B	H	L	Group
F1PLKY-04020	PARALLEL KEY 4x20	16	4	4	20	D4400
F1PLKY-06025	PARALLEL KEY 6x25	22	6	6	25	D4400
F1PLKY-07025	PARALLEL KEY 7x25	27	7	7	25	D4400
F1PLKY-08028	PARALLEL KEY 8x28	32	8	7	28	D4400
F1PLKY-10032	PARALLEL KEY 10x32	40	10	8	32	D4400

Cutter Clamping Screw (DIN 6367)



Part No.	D	L	L1	G	d.	Allen Key	FIG	Remarks	Group
F1CCSN-22M10	28	26	8	M10	-	6mm	1	NORMAL	D4400
F1CCSN-16M08	20	23	7	M8	-	5mm	1	NORMAL	D4400
F1CCSN-27M12	35	31	9	M12	-	8mm	1	NORMAL	D4400
F1CCSN-32M16	42	36	10	M16	-	10mm	1	NORMAL	D4400
F1CCSN-40M20	52	41	11	M20	-	12mm	1	NORMAL	D4400
F1CCSN-60M30	75	60	15	M30	-	17mm	1	NORMAL	D4400
F1CCSN-50M24	75	49	13	M24	-	14mm	1	NORMAL	D4400
F1CCST-22M10	28	33	8	M10	3.2	6mm	2	THRU COOLANT	D4400
F1CCST-16M08	20	32	7	M8	2.5	5mm	2	THRU COOLANT	D4400
F1CCST-27M12	35	44	9	M12	3.2	8mm	2	THRU COOLANT	D4400
F1CCST-32M16	42	45	10	M16	3.2	10mm	2	THRU COOLANT	D4400
F1CCST-40M20	52	51	11	M20	3.2	12mm	2	THRU COOLANT	D4400

Accessories



For Further Details Please Refer Accessories Catalog.



Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)


BT - Form JD (AD)

BT 40 - Standard GPL



Part No.	Product name	Taper	Form	d.	L	L1	D1	P	T1	Kgs	Group
F1B401A-FMH40060	BT40 AD FMH 40 060	40	JD	40	60	30	88	66.7	M12	2.6	B3000

BT 50 - Standard GPL



Part No.	Product name	Taper	Form	d.	L	L1	D1	P	T1	Kgs	Group
F1B501A-FMH40075	BT50 AD FMH 40 075	50	JD	40	75	30	88	66.7	M12	5.7	B3000
F1B501A-FMH60075	BT50 AD FMH 60 075	50	JD	60	75	40	128	101.6	M16	7.6	B3000

Accessories



For Further Details Please Refer Accessories Catalog.


Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)


BT - Form JD (AD) - G6.3

BT 40 - Standard GPL



Part No.	Product name	Taper	Form	d.	L	D1	D2	L1	G	Kgs	Group
F1B401A-SFC06090	BT40 AD SFC 06 090	40	JD	6	090	21	27	36	M5	1.20	B5000
F1B401A-SFC08090	BT40 AD SFC 08 090	40	JD	8	090	21	27	36	M6	1.20	B5000
F1B401A-SFC10090	BT40 AD SFC 10 090	40	JD	10	090	24	32	42	M8X1	1.25	B5000
F1B401A-SFC12090	BT40 AD SFC 12 090	40	JD	12	090	24	32	47	M10X1	1.25	B5000
F1B401A-SFC14090	BT40 AD SFC 14 090	40	JD	14	090	27	34	47	M10X1	1.26	B5000
F1B401A-SFC16090	BT40 AD SFC 16 090	40	JD	16	090	27	34	50	M12X1	1.26	B5000
F1B401A-SFC18090	BT40 AD SFC 18 090	40	JD	18	090	33	42	50	M12X1	1.32	B5000
F1B401A-SFC20090	BT40 AD SFC 20 090	40	JD	20	090	33	42	52	M16X1	1.36	B5000
F1B401A-SFC25100	BT40 AD SFC 25 100	40	JD	25	100	44	53	58	M16X1	1.77	B5000

BT 50 - Standard GPL



Part No.	Product name	Taper	Form	d.	L	D1	D2	L1	G	Kgs	Group
F1B501A-SFC06100	BT50 AD SFC 06 100	50	JD	6	100	21	27	36	M5	3.8	B5000
F1B501A-SFC08100	BT50 AD SFC 08 100	50	JD	8	100	21	27	36	M6	3.9	B5000
F1B501A-SFC10100	BT50 AD SFC 10 100	50	JD	10	100	24	32	42	M8X1	3.9	B5000
F1B501A-SFC12100	BT50 AD SFC 12 100	50	JD	12	100	24	32	47	M10X1	3.9	B5000
F1B501A-SFC14100	BT50 AD SFC 14 100	50	JD	14	100	27	34	47	M10X1	4	B5000
F1B501A-SFC16100	BT50 AD SFC 16 100	50	JD	16	100	27	34	50	M12X1	4	B5000
F1B501A-SFC18100	BT50 AD SFC 18 100	50	JD	18	100	33	42	50	M12X1	4.1	B5000
F1B501A-SFC20100	BT50 AD SFC 20 100	50	JD	20	100	33	42	52	M16X1	4.1	B5000
F1B501A-SFC25110	BT50 AD SFC 25 110	50	JD	25	110	44	53	58	M16X1	4.3	B5000
F1B501A-SFC32110	BT50 AD SFC 32 110	50	JD	32	110	44	53	58	M16X1	4.1	B5000


Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)

SFC Shrink Fit Chuck (DIN 69882-8)

Spares



Part No.	G	L	Group
F1SCWM-20M06	M6	20	D4400
F1SCWM-20M08	M8	20	D4400
F1SCWM-20M10	M10	20	D4400
F1SCWM-20M12	M12	20	D4400
F1SCWM-20M16	M16	20	D4400

Accessories



For Further Details Please Refer Accessories Catalog.



Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)



BT - Form JD (AD) - G6.3

BT 30 - Standard GPL




Part No.	Product name	Taper	MT No.	Form	L	D1	Kgs	Group
F1B301A-MTA01050	BT30 AD MTA 01 050	30	1	JD	50	25	0.4	A4000
F1B301A-MTA02062	BT30 AD MTA 02 062	30	2	JD	62	32	0.5	A4000
F1B301A-MTA03080	BT30 AD MTA 03 080	30	3	JD	80	40	0.7	A4000

BT 40 - Standard GPL



Part No.	Product name	Taper	Form	MT No.	L	D1	Kgs	Group
F1B401A-MTA01045	BT40 AD MTA 01 045	40	JD	1	45	25	1	A4000
F1B401A-MTA02060	BT40 AD MTA 02 060	40	JD	2	60	32	1	A4000
F1B401A-MTA03075	BT40 AD MTA 03 075	40	JD	3	75	40	1.1	A4000
F1B401A-MTA04095	BT40 AD MTA 04 095	40	JD	4	95	48	1.3	A4000

BT 50 - Standard GPL



Part No.	Product name	Taper	Form	MT No.	L	D1	Kgs	Group
F1B501A-MTA01045	BT50 AD MTA 01 045	50	JD	1	45	25	3.5	A4000
F1B501A-MTA02045	BT50 AD MTA 02 045	50	JD	2	45	32	3.5	A4000
F1B501A-MTA03045	BT50 AD MTA 03 045	50	JD	3	45	40	3.5	A4000
F1B501A-MTA04095	BT50 AD MTA 04 095	50	JD	4	95	48	3.7	A4000
F1B501A-MTA05105	BT50 AD MTA 05 105	50	JD	5	105	70	4	A4000

Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request





BT DIN ISO 7388-2 (MAS 403)

MTA Morse Taper Adaptor (DIN 228-2 Form D)



BT - Form J (A)

BT 40 - Extended Length



Part No.	Product name	Taper	Form	MT No.	L	D1	Kgs	Group
F1B405A-MTA01120	BT40 A MTA 01 120	40	J	1	120	25	1.3	A4000
F1B405A-MTA02120	BT40 A MTA 02 120	40	J	2	120	32	1.4	A4000
F1B405A-MTA03135	BT40 A MTA 03 135	40	J	3	135	40	1.7	A4000

BT 50 - Extended Length



Part No.	Product name	Taper	Form	MT No.	L	D1	Kgs	Group
F1B505A-MTA01120	BT50 A MTA 01 120	50	J	1	120	25	3.9	A4000
F1B505A-MTA02135	BT50 A MTA 02 135	50	J	2	135	32	4	A4000
F1B505A-MTA03150	BT50 A MTA 03 150	50	J	3	150	40	4.3	A4000

Accessories



For Further Details Please Refer Accessories Catalog.



Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)



BT - Form J (A)

BT 40 - Standard GPL



Part No.	Product name	Taper	Form	Taper No.	L	Clamping range	D1	D2	H	Kgs	Group
F1B405X-JTA06045	BT40 A JTA 06 045	40	J	JTA6	45	0.8-13	17.17	30	3.2	1.1	A5500
F1B405X-DCB16045	BT40 A B16 045	40	J	B16	45	0.8-13	15.73	30	4	1.1	A5500

BT 50 - Standard GPL



Part No.	Product name	Taper	Form	Taper No.	L	Clamping range	D1	D2	H	Kgs	Group
F1B505X-JTA06045	BT50 A JTA 06 045	50	J	JTA6	45	0.8-13	17.17	30	3.2	3.7	A5500
F1B505X-DCB16045	BT50 A B16 045	50	J	B16	45	0.8-13	15.73	30	4	3.7	A5500

Accessories



For Further Details Please Refer Accessories Catalog.

DCH Drill Chuck Adaptor (DIN 238)


Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request



BT DIN ISO 7388-2 (MAS 403)


BT - Form J (A)

BT 40 - Standard GPL




Part No.	Product name	Taper	Form	D	L	Kgs	Group
F1B405X-BLA063250	BT40 A BLANK 063 250	40	J	63	250	6.5	B6600
F1B405X-BLA080250	BT40 A BLANK 080 250	40	J	80	250	9.6	B6600

BT 50 - Standard GPL



Part No.	Product name	Taper	Form	D	L	Kgs	Group
F1B505X-BLA080250	BT50 A BLANK 080 250	50	J	80	250	12	B6600
F1B505X-BLA100300	BT50 A BLANK 100 300	50	J	100	300	19.5	B6600

Accessories



For Further Details Please Refer Accessories Catalog.

Pre balanced G6.3@15000 RPM
Fine balancing G2.5@25000 RPM on request





Falcon Toolings

SF. No. 205 / 1 & 2, Kalapatti, Coimbatore - 641 048, India

Ph : +91 (422) 266 6156 , +91 (422) 266 6322

Email : sales@falcontoolings.com

Web: www.falcontoolings.com